



SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/6

OPUS ANTIFREEZE LONGLIFE 50/50

Revision 1

Revision date 2015-11-03

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	OPUS ANTIFREEZE LONGLIFE 50/50
--------------	--------------------------------

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use	[SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites; [SU17] General manufacturing, e.g. machinery, equipment, vehicles, other transport equipment; [PC4] Anti-Freeze and de-icing products;
-------------	--

1.3. Details of the supplier of the safety data sheet

Company	Ferguson & Menzies Ltd
Address	312 Broomloan Road Glasgow G51 2JW
Web	www.fergusonmenzies.co.uk
Telephone	0141-445 3555
Fax	0141-425 1079
Email	info@fergusonmenzies.co.uk
Email address of the competent person	info@fergusonmenzies.co.uk

1.4. Emergency telephone number


Emergency telephone number	0141-445-3555 09.00 - 17.00
----------------------------	--------------------------------

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.1. Classification - 1999/45/EC	Xn; R22 Symbols: Xn: Harmful.
Main hazards	Harmful if swallowed.
2.1.2. Classification - EC 1272/2008	Acute Tox. 4: H302; Eye Irrit. 2: H319;

2.2. Label elements

Hazard pictograms	
Signal Word	Warning
Hazard Statement	Acute Tox. 4: H302 - Harmful if swallowed. Eye Irrit. 2: H319 - Causes serious eye irritation.
Precautionary Statement: Prevention	P264 - Wash thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P280 - Wear protective gloves/protective clothing/eye protection/face protection.

OPUS ANTIFREEZE LONGLIFE 50/50

Revision 1
Revision date 2015-11-03

2.2. Label elements

Precautionary Statement: Response	P301+P312 - IF SWALLOWED: Call a POISON CENTER/doctor/ /if you feel unwell. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P330 - Rinse mouth. P337+P313 - If eye irritation persists: Get medical advice/attention.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to

SECTION 3: Composition/information on ingredients

3.2. Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
ETHANEDIOL (Ethane-1,2-diol particulate)	603-027-00-1	107-21-1	203-473-3		30 - 40%	Xn; R22	
Potassium 2-ethyl hexanoate		3164-85-0	221-625-7		1 - 10%	Xn; R63 Xi; R38-41	

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
ETHANEDIOL (Ethane-1,2-diol particulate)	603-027-00-1	107-21-1	203-473-3		30 - 40%	Acute Tox. 4: H302;	
Potassium 2-ethyl hexanoate		3164-85-0	221-625-7		1 - 10%	Skin Irrit. 2: H315; Eye Dam. 1: H318; Repr. 2: H361d;	

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Harmful by inhalation. Inhalation may cause nausea and vomiting. May cause dizziness and headache. Move the exposed person to fresh air. Seek medical attention.
Eye contact	May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
Skin contact	May cause irritation to skin. May cause dermatitis. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	Harmful if swallowed. Ingestion may cause nausea and vomiting. Ingestion is irritating to the respiratory tract and may cause damage to the central nervous system. DO NOT INDUCE VOMITING. If swallowed, seek medical advice immediately and show this container or label.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	May cause irritation to respiratory system.
Eye contact	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Skin contact	After contact with skin, wash immediately with plenty of soap and water.
Ingestion	Headache, nausea and vomiting.

4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system.
Eye contact	May cause irritation to eyes.
Skin contact	If skin irritation or rash occurs: Get medical advice/attention.
Ingestion	Ingestion may cause nausea and vomiting.

SECTION 5: Firefighting measures

5.1. Extinguishing media

	Use as appropriate: Carbon dioxide (CO2), Dry chemical, Foam.
--	---

5.2. Special hazards arising from the substance or mixture

	Burning produces irritating, toxic and obnoxious fumes.
--	---

OPUS ANTIFREEZE LONGLIFE 50/50

Revision 1

Revision date 2015-11-03

5.3. Advice for firefighters

Self-contained breathing apparatus. Wear protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation of the working area. Wear suitable protective equipment.

6.2. Environmental precautions

Do not allow product to enter drains. Prevent further spillage if safe.

6.3. Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

6.4. Reference to other sections

See section 8 for further information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.

7.2. Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated area. Keep containers tightly closed.

7.3. Specific end use(s)

See section 1.2 for further information.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Exposure Limit Values

ETHANEDIOL (Ethane-1,2-diol particulate)	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 10
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:
	ETHANEDIOL (Ethane-1,2-diol vapour)	WEL 8-hr limit ppm: 20
	WEL 15 min limit ppm: 40	WEL 15 min limit mg/m3: 104
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:

8.2. Exposure controls

8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working area.
8.2.2. Individual protection measures	Wear chemical protective clothing.
Eye / face protection	Approved safety goggles.
Skin protection - Handprotection	Chemical resistant gloves (PVC).
Respiratory protection	Self-contained breathing apparatus. Wear protective clothing.

OPUS ANTIFREEZE LONGLIFE 50/50

Revision 1

Revision date 2015-11-03

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Orange
Odour	Characteristic
Freezing Point	-20 - -40 °C
Initial boiling point	173 °C
Solubility	Miscible in water

9.2. Other information

Specific gravity	1.11 g/cm ³
------------------	------------------------

Colour

Colour	Pink.
--------	-------

SECTION 10: Stability and reactivity

10.1. Reactivity

	No data is available on this product.
--	---------------------------------------

10.2. Chemical stability

	Stable under normal conditions.
--	---------------------------------

10.3. Possibility of hazardous reactions

	Hazardous reactions will not occur under normal transport or storage conditions.
--	--

10.4. Conditions to avoid

	Heat.
--	-------

10.5. Incompatible materials

	No data is available on this product.
--	---------------------------------------

10.6. Hazardous decomposition products

	Do not breathe gas/fumes/vapour/spray.
--	--

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Repeated or prolonged exposure	Harmful if swallowed.
--------------------------------	-----------------------

11.1.4. Toxicological Information

	No data available
	No data is available on this product.

SECTION 12: Ecological information

12.1. Toxicity

	No data available
--	-------------------

Further information

	No known adverse environmental effects.
--	---

SECTION 13: Disposal considerations

General information

	Dispose of in compliance with all local and national regulations.
--	---

Disposal methods

OPUS ANTIFREEZE LONGLIFE 50/50

Revision 1

Revision date 2015-11-03

Disposal methods

Contact a licensed waste disposal company.

SECTION 14: Transport information

14.1. UN number

The product is not classified as dangerous for carriage.

14.2. UN proper shipping name

The product is not classified as dangerous for carriage.

14.3. Transport hazard class(es)

The product is not classified as dangerous for carriage.

14.4. Packing group

The product is not classified as dangerous for carriage.

14.5. Environmental hazards

The product is not classified as dangerous for carriage.

14.6. Special precautions for user

The product is not classified as dangerous for carriage.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

The product is not classified as dangerous for carriage.

Further information

The product is not classified as dangerous for carriage.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

SECTION 16: Other information

Other information

Revision

This document differs from the previous version in the following areas:.

- 2 - 2.1. Classification of the substance or mixture.
- 2 - 2.1.2. Classification - EC 1272/2008.
- 2 - Hazard pictograms.
- 2 - Signal Word.
- 2 - Precautionary Statement: Prevention.
- 2 - Precautionary Statement: Response.
- 2 - Precautionary Statement: Disposal.
- 12 - 12.1. Toxicity.
- 15 - Labelling.
- 15 - Risk phrases.

Text of risk phrases in Section 3

- R22 - Harmful if swallowed.
- R38 - Irritating to skin.
- R41 - Risk of serious damage to eyes.
- R63 - Possible risk of harm to the unborn child.

Text of Hazard Statements in Section 3

- Acute Tox. 4: H302 - Harmful if swallowed.
- Skin Irrit. 2: H315 - Causes skin irritation.
- Eye Dam. 1: H318 - Causes serious eye damage.

OPUS ANTIFREEZE LONGLIFE 50/50

Revision 1

Revision date 2015-11-03

Other information

	Repr. 2: H361d - Suspected of damaging the unborn child.
--	--

Further information

	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.
--	--
