

### SAFETY DATA SHEET

according to Regulation (EU) 2020/878

**ige** 1/6

## **OPUS T.F.R. CONCENTRATE**

Revision 1

Revision date 2023-03-23

SECTION 1: Identification of the substance/mixture and	of the company/undertaking
--	----------------------------

#### 1.1 Product identifier

Product name OPUS T.F.R. CONCENTRATE

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use [SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites;

### 1.3. Details of the supplier of the safety data sheet

Company Ferguson & Menzies Ltd

Address 312 Broomloan Road

Glasgow G51 2JW

Web www.fergusonmenzies.co.uk

**Telephone** 0141 445 3555

 Email
 info@fergusonmenzies.co.uk

 Email address of the
 info@fergusonmenzies.co.uk

competent person

### 1.4. Emergency telephone number

Emergency telephone number 0141-445-3555

09.00 - 17.00

# SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

2.1.2. Classification - EC

Skin Corr. 1A: H314;

#### 2.2. Label elements

1272/2008

## Hazard pictograms



Signal Word

Danger

Hazard Statement

Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.

Precautionary Statement: Prevention P260 - Do not breathe dust/fume/gas/mist/vapours/spray.

P264 - Wash thoroughly after handling.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statement:

P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

Response

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 -Immediately call a POISON CENTER/doctor/ .

P321 - Specific treatment (see on this label).

Revision 1
Revision date 2023-03-23

2.2. Label elements

P363 - Wash contaminated clothing before reuse.

Precautionary Statement:

Storage

P405 - Store locked up.

Precautionary Statement: Disposal

P501 - Dispose of contents/container to

# SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

#### EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration	Conc.	Classification
				Number	(%w/w)	
Alcohols C6-C12 Ethoxylated		68439-45-2	614-481-5		1 - 10%	6 Eye Dam. 1: H318;
Potassium hydroxide	019-002-00-8	1310-58-3	215-181-3		1 - 10%	6 Acute Tox. 4: H302; Skin
Sodium hydroxide	011-002-00-6	1310-73-2	215-185-5		1 - 10%	Corr. 1A: H314; 6 Skin Corr. 1A: H314;
,						,

## SECTION 4: First aid measures

#### 4.1. Description of first aid measures

Inhalation	Irritating to respiratory system. Inhalation may cause coughing, tightness of the chest and irritation		
	of the respiratory system. Move the exposed person to fresh air. Seek medical attention.		
Eye contact	Irritating to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open.  Seek medical attention if irritation or symptoms persist.		
Skin contact	Irritating to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.		
Ingestion	Ingestion may cause nausea and vomiting. Seek medical attention if irritation or symptoms persist.  DO NOT INDUCE VOMITING.		

# 4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Coughing, difficulty in breathing and in severe cases, loss of consciousness.		
Skin contact	May cause sensitisation by skin contact. May cause severe irritation to eyes and skin.		
Ingestion	Headache, nausea and vomiting.		

## 4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system.  Inhalation may cause nausea and vomiting.	
Eye contact	Risk of serious damage to eyes.	
Skin contact	If skin irritation or rash occurs: Get medical advice/attention.	

## SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Carbon oxides.

## 5.2. Special hazards arising from the substance or mixture

Burning produces irritating, toxic and obnoxious fumes.

## 5.3. Advice for firefighters

Wear suitable respiratory equipment when necessary.

## SECTION 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation of the working area. Wear suitable protective equipment.

Revision Revision date 2023-03-23 6.2. Environmental precautions Do not allow product to enter drains. Prevent further spillage if safe. 6.3. Methods and material for containment and cleaning up Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. 6.4. Reference to other sections See section 8 for further information. SECTION 7: Handling and storage 7.1. Precautions for safe handling Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing. 7.2. Conditions for safe storage, including any incompatibilities Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers 7.3. Specific end use(s) See section 1.2 for further information. SECTION 8: Exposure controls/personal protection 8.1. Control parameters

8.1.1. Exposure Limit Values

Revision

Revision date 2023-03-23

## 8.1.1. Exposure Limit Values

Potassium hydroxide	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -
Fotassium nyuroxiue	•	
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: 2
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
	ATE ORL-CAT 1- H300: -	ATE ORL-CAT 2- H300:
	ATE ORL-CAT 3- H301:	ATE ORL-CAT 4- H302:
	ATE DRM-CAT 1- H310:	ATE DRM-CAT 2- H310:
	ATE DRM-CAT 3- H311:	ATE DRM-CAT 4- H312:
	ATE INH-GAS- CAT 1- H330:	ATE INH-GAS- CAT 2- H330:
	ATE INH-GAS- CAT 3- H331:	ATE INH-GAS- CAT 4- H332:
	ATE INH-VAP- CAT 1- H330:	ATE INH-VAP- CAT 2- H330:
	ATE INH-VAP- CAT 3- H331:	ATE INH-VAP CAT 4- H332:
	ATE INH-D/M- CAT 1- H330:	ATE INH-D/M- CAT 2- H330:
	ATE INH-D/M- CAT 3- H331:	ATE INH-D/M- CAT 4- H332:
	PNEC Aqua(Fresh):	PNEC Aqua(Marine):
	PNEC Sediment(Fresh):	PNEC Sediment(Marine):
	PNEC Soil:	
Sodium hydroxide	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: 2
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
	ATE ORL-CAT 1- H300: -	ATE ORL-CAT 2- H300:
	ATE ORL-CAT 3- H301:	ATE ORL-CAT 4- H302:
	ATE DRM-CAT 1- H310:	ATE DRM-CAT 2- H310:
	ATE DRM-CAT 3- H311:	ATE DRM-CAT 4- H312:
	ATE INH-GAS- CAT 1- H330:	ATE INH-GAS- CAT 2- H330:
	ATE INH-GAS- CAT 3- H331:	ATE INH-GAS- CAT 4- H332:
	ATE INH-VAP- CAT 1- H330:	ATE INH-VAP- CAT 2- H330:
	ATE INH-VAP- CAT 3- H331:	ATE INH-VAP CAT 4- H332:
	ATE INH-D/M- CAT 1- H330:	ATE INH-D/M- CAT 2- H330:
	ATE INH-D/M- CAT 3- H331:	ATE INH-D/M- CAT 4- H332:
	PNEC Aqua(Fresh):	PNEC Aqua(Marine):
	PNEC Sediment(Fresh):	PNEC Sediment(Marine):
	PNEC Soil:	

# 8.2. Exposure controls

8.2.1. Appropriate engineering	Ensure adequate ventilation of the working area.
controls	
8.2.2. Individual protection	Wear chemical protective clothing.
measures	
Eye / face protection	Approved safety goggles.
Skin protection -	Chemical resistant gloves (PVC).
Handprotection	
Respiratory protection	Wear:. Suitable respiratory equipment.

## SECTION 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

Revision

Revision date 2023-03-23

### 9.1. Information on basic physical and chemical properties

Appearance

Red Colour

Characteristic Odour 13

100

Liquid

рΗ

Flash point

Evaporation rate

SLOW

Flammability (solid, gas)

Autoignition temperature

### SECTION 10: Stability and reactivity

### 10.1. Reactivity

No data available.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions will not occur under normal transport or storage conditions.

10.4. Conditions to avoid

Heat, sparks and open flames.

10.5. Incompatible materials

Strong oxidising agents.

10.6. Hazardous decomposition products

Do not breathe gas/fumes/vapour/spray

### SECTION 11: Toxicological information

## 11.1.4. Toxicological Information

No data available

## SECTION 12: Ecological information

## 12.1. Toxicity

No data available

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

## SECTION 13: Disposal considerations

#### General information

Dispose of in compliance with all local and national regulations.

Disposal methods

Contact a licensed waste disposal company.

Disposal of packaging

Dispose of in compliance with all local and national regulations.

### SECTION 14: Transport information

#### 14.1. UN number

The product is not classified as dangerous for carriage.

14.2. UN proper shipping name

The product is not classified as dangerous for carriage.

Revision date 2023-03-23

Revision

		1104ISIOIT Gate	2023-03-23	
14.3. Transport hazard class(es)				
	The product is not classified as dangerous for carriage.			
14.4. Packing group				
	The product is not classified as dangerous for carriage.			
14.5. Environmental hazards				
	The product is not classified as dangerous for carriage.			
14.6. Special precautions for user				
	The product is not classified as dangerous for carriage.			
14.7 Maritime Transport in bulk according to IMO instruments				
	The product is not classified as dangerous for carriage.			
Further information				
	The product is not classified as dangerous for carriage.			
SECTION 15: Regulatory information				
15.1. Safety, health and environmental regu	15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture			
Regulations	COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No			

1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

# SECTION 16: Other information

## Other information

Revision	This document differs from the previous version in the following areas:.		
	2 - 2.1.2. Classification - EC 1272/2008.		
	2 - Precautionary Statement: Prevention.		
	2 - Precautionary Statement: Response.		
	2 - Precautionary Statement: Storage.		
	2 - Precautionary Statement: Disposal.		
	9 - 9.1. Information on basic physical and chemical properties (Flash point).		
	9 - 9.1. Information on basic physical and chemical properties (Autoignition temperature).		
	9 - 9.1. Information on basic physical and chemical properties (Colour).		
	9 - 9.1. Information on basic physical and chemical properties (PH).		
	9 - 9.2. Other information (Specific gravity).		
Text of Hazard Statements in	Eye Dam. 1: H318 - Causes serious eye damage.		
Section 3	Acute Tox. 4: H302 - Harmful if swallowed.		
	Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.		
	Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.		
	Skin Irrit. 2: H315 - Causes skin irritation.		
	Eye Irrit. 2: H319 - Causes serious eye irritation.		
Further information			
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use,		
	storage and handling of the product. This information is correct to the best of our knowledge and		
	belief at the date of publication however no guarantee is made to its accuracy. This information		
	relates only to the specific material designated and may not be valid for such material used in		
	combination with any other materials or in any other process.		