

OPUS LUBRICANTS PRODUCT DATA

SYNOPUS COMPRESSOR OILS

Description

SYNOPUS COMPRESSOR OILS are a range of high performance fully synthetic compressor oils manufacture from synthetic base oils and high quality additives, they are suitable for most piston and rotary screw compressors. (Suitable for C.P. Holman.)

Performance Levels

- DIN 51506 VDL
- DIN 51524 part 3 (HVLP)
- Sperry Vickers 1-286-S
- Cincinnati Milacron P-68, P-69, P-70

Benefits

- Good oxidation resistance and rust protection
- High viscosity index
- High spontaneous ignition point
- Reduced risk of fires or explosion
- OPUS compressor oils frequently allow longer intervals between oil changes.

Typical Data

ISO GRADE		32	46	68	100
Specific Gravity Kinematic Viscosity	@ 15°C@ 100°C cSt	0.860 6.3	0.861 7.9	0.863 10.5	0.865 13.9
Kinematic Viscosity Viscosity Index	@ 40°C cSt	33.0 143	47.3 137	68.0 143	99.9 144
Pour Point (°C) Flash Point COC (°C))	-38 240	-38 242	-37 242	-37 242

Revision Date: September 2016

Ferguson & Menzies Ltd 312 Broomloan Road GLASGOW G51 2JW

Tel: 0141 445 3555 Fax: 0141 425 1079

E-Mail: <u>info@fergusonmenzies.co.uk</u>
Web: <u>www.fergusonmenzies.co.uk</u>