



OPUS LUBRICANTS PRODUCT DATA

SYNOPSIS NOVA 0W/30

Description

Synopsis Nova 0W/30 is a synthetic multigrade engine oil manufactured using high quality additives and base oils for fuel efficiency and superior performance for petrol and diesel engines of modern passenger cars and light commercial vehicles.

The additive technology coupled with synthetic base fluids also ensures a high level of component protection and cleanliness when operating in severe conditions with extended drain intervals.

Performance Levels

- API: SL
- ACEA: A3/B4
- MB 229.3 / 229.5
- VW 502 00 / 505 00
- RN 0700 / 0710
- VOLVO 95200356

Benefits

- Improved fuel economy.
- Low volatility.
- Very high viscosity index.
- Excellent cold starting characteristics.
- Better thermal stability, improved engine cleanliness.

Technical Data

SAE		0W/30
Specific Gravity	@ 15°C (typical)	0.854
Kinematic Viscosity	@ 100°C cSt	9.60
	@ 40°C cSt	53.00
Viscosity Index		168
Flash Point (COC °C)		220
Pour Point °C		-45

Revision Date: January 2022

Ferguson & Menzies Ltd, 312 Broomloan Road, GLASGOW, G51 2JW
Tel: 0141 445 3555 E-Mail: info@fergusonmenzies.co.uk Web: www.fergusonmenzies.co.uk