

SAFETY DATA SHEET according to 1907/2006/EC, Article 31

Page 1/4

OPUS SLIDEWAY OIL ISO 68T

 Revision
 0

 Revision date
 2016-06-17

SECTION 1: Identification of	the substance/mixture and of the company/undertaking	
1.1. Product identifier		
Product name	OPUS SLIDEWAY OIL ISO 68T	
1.2. Relevant identified uses of the substance or mixture and uses advised against		
Product Use	[SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites; [PC24] Lubricants, greases, release products;	
1.3. Details of the supplier of the	safety data sheet	
Company	Ferguson & Menzies Ltd	
Address	312 Broomloan Road Glasgow G51 2JW	
Web	www.fergusonmenzies.co.uk	
Telephone	0141-445 3555	
Fax	0141-425 1079	
Email	info@fergusonmenzies.co.uk	
Email address of the competent person	info@fergusonmenzies.co.uk	
1.4. Emergency telephone numb	ber	
Emergency telephone number	0141-445-3555	
	09.00 - 17.00	
SECTION 2: Hazards identifi	cation	
2.1. Classification of the substan	ice or mixture	
Main hazards	No Significant Hazard	
2.2. Label elements		
Risk phrases	No Significant Hazard	
SECTION 3: Composition/information on ingredients		
3.2. Mixtures		

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Solvent Neutral 500					50 - 100%	0	
Solvent Neutral 150		64741-88-4	265-090-8		0 - 40%	6	
acrylic copolymer					0 - 0.5%	0	
Flowtac 2000					1 - 10%	0	
					_		
SECTION 4: First aid me	asures						



OPUS SLIDEWAY OIL ISO 68T

4.1. Description of first aid measures

Inhalation	May cause irritation to mucous membranes. Move the exposed person to fresh air.
Eye contact	May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
Skin contact	May cause irritation to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	May cause irritation to mucous membranes. DO NOT INDUCE VOMITING. Seek medical attention if irritation or symptoms persist.
SECTION 5: Firefighting measures	

5.1. Extinguishing media

Use extinguishing media appropriate to the surrounding fire conditions.

5.2. Special hazards arising from the substance or mixture

Burning produces irritating, toxic and obnoxious fumes.

5.3. Advice for firefighters

Wear suitable respiratory equipment when necessary.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation of the working area.

6.2. Environmental precautions

Do not allow product to enter drains. Prevent further spillage if safe.

6.3. Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

6.4. Reference to other sections

See section 8 for further information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

 Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best

 Manual Handling considerations when handling, carrying and dispensing.

 7.2. Conditions for safe storage, including any incompatibilities

7.2. Conditions for sale storage, including any incompatibility

Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.

7.3. Specific end use(s)

See section 1.2 for further information.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

	Adopt best Manual Handling considerations when handling, carrying and dispensing.
8.2. Exposure controls	
8.2.1. Appropriate engineering	Ensure adequate ventilation of the working area.
controls	
8.2.2. Individual protection	Wear protective clothing.
measures	
Eye / face protection	In case of splashing, wear:. Approved safety goggles.



OPUS SLIDEWAY OIL ISO 68T

Revision 0 Revision date 2016-06-17

	Revision date 2016-06-17
8.2. Exposure controls	
Skin protection - Handprotection	Chemical resistant gloves (PVC).
SECTION 9: Physical and ch	nemical properties
9.1. Information on basic physica	al and chemical properties
Appearance	Liquid
Colour	Light brown
Odour	Characteristic
Initial boiling point	
Flash point	
Flammability (solid, gas)	
	0.860-0.900 @ 15°C
Viscosity	109.96 cSt @ 40°C
9.2. Other information	
Specific gravity	-
Pour point	-12 °C
SECTION 10: Stability and re	eactivity
10.1. Reactivity	
	No data available.
10.2. Chemical stability	
	Stable under normal conditions.
10.3. Possibility of hazardous re-	actions
	Hazardous reactions will not occur under normal transport or storage conditions.
10.4. Conditions to avoid	
	Heat, sparks and open flames.
10.5. Incompatible materials	
	Strong oxidising agents.
10.6. Hazardous decomposition	products
	Do not breathe gas/fumes/vapour/spray.
SECTION 11: Toxicological i	nformation
11.1.4. Toxicological Information	
	No data available
	No data is available on this product.
SECTION 12: Ecological info	rmation
12.1. Toxicity	
	No data available
Further information	
	No data is available on this product.
SECTION 13: Disposal cons	iderations
General information	
	Dispose of in compliance with all local and national regulations.



OPUS SLIDEWAY OIL ISO 68T

Revision	0
Revision date	2016-06-17

Disposal methods		
	Contact a licensed waste disposal company.	
Disposal of packaging		
	Dispose of in compliance with all local and national regulations.	
SECTION 14: Transport info	rmation	
14.1. UN number		
	The product is not classified as dangerous for carriage.	
14.2. UN proper shipping name		
	The product is not classified as dangerous for carriage.	
14.3. Transport hazard class(es)		
	The product is not classified as dangerous for carriage.	
14.4. Packing group		
	The product is not classified as dangerous for carriage.	
14.5. Environmental hazards		
	The product is not classified as dangerous for carriage.	
14.6. Special precautions for user		
	The product is not classified as dangerous for carriage.	
14.7. Transport in bulk according	to Annex II of MARPOL 73/78 and the IBC Code	
	The product is not classified as dangerous for carriage.	
Further information		
	The product is not classified as dangerous for carriage.	
SECTION 15: Regulatory info	ormation	
15.1. Safety, health and environ	nental regulations/legislation specific for the substance or mixture	
	COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and	

SECTION 16: Other information

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and
belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in
combination with any other materials or in any other process.

Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

