

SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/6

OPUS EASYCURE R90AL

Revision n Revision date 2017-09-21

ı	SECTION 1: Identification	on of the substance/mixture	re and of the company/undertak	ing

1.1. Product identifier

OPUS EASYCURE R90AL Product name

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use [SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites;

1.3. Details of the supplier of the safety data sheet

Company Ferguson & Menzies Ltd

312 Broomloan Road Address

Glasgow G51 2JW

Web www.fergusonmenzies.co.uk

Telephone 0141-445 3555 Fax 0141-425 1079

Email info@fergusonmenzies.co.uk info@fergusonmenzies.co.uk

Email address of the competent person

1.4. Emergency telephone number

Emergency telephone number 0141-445-3555

09.00 - 17.00

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.	l.1.	Cl	assification	-

1999/45/FC

Xn; R65 Xi; R37 N; R51/53 R10-66-67

Symbols: Xn: Harmful. N: Dangerous for the environment.

Main hazards

Flammable. Irritating to respiratory system. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Harmful: may cause lung damage if swallowed. Repeated exposure may cause skin dryness or cracking. Vapours may cause drowsiness and

dizziness.

2.1.2. Classification - EC

1272/2008

Flam. Liq. 3: H226; Asp. Tox. 1: H304; STOT SE 3: H335; STOT SE 3: H336; STOT RE 1: H372; Aquatic Chronic 2: H411;

2.2. Label elements

Hazard pictograms









Signal Word

Hazard Statement

Danger

Flam. Liq. 3: H226 - Flammable liquid and vapour.

Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.

STOT SE 3: H335 - May cause respiratory irritation.

STOT SE 3: H336 - May cause drowsiness or dizziness.

STOT RE 1: H372 - Causes damage to organs through prolonged or repeated exposure

Revision 0 Revision date 2017-09-21

2.2. Label elements

	Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.
Precautionary Statement:	P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
Prevention	smoking.
	P233 - Keep container tightly closed.
	P240 - Ground/bond container and receiving equipment.
	P241 - Use explosion-proof electrical/ventilating/lighting// equipment.
	P242 - Use only non-sparking tools.
	P243 - Take precautionary measures against static discharge.
	P260 - Do not breathe dust/fume/gas/mist/vapours/spray.
	P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
	P264 - Wash thoroughly after handling.
	P270 - Do no eat, drink or smoke when using this product.
	P271 - Use only outdoors or in a well-ventilated area.
	P273 - Avoid release to the environment.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement:	P301+P310 - IF SWALLOWED: IF SWALLOWED: Immediately call a POISON CENTER/doctor/ .
Response	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse
	skin with water/shower.
	P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	P312 - Call a POISON CENTER/doctor/ /if you feel unwell.
	P314 - Get medical advice/attention if you feel unwell.
	P331 - Do NOT induce vomiting.
	P370+P378 - In case of fire: Use to extinguish.
	P391 - Collect spillage.
Precautionary Statement:	P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
Storage	P403+P235 - Store in a well-ventilated place. Keep cool.
	P405 - Store locked up.
Precautionary Statement:	P501 - Dispose of contents/container to
Disposal	

SECTION 3: Composition/information on ingredients

3.2. Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Hydrocarbons, C9, Aromatics			918-668-5		20 - 30%	Xn; R65 Xi; R37 N; R51/53	
						R10-66-67	
WHITE SPIRIT		64742-88-7	265-191-7		60 - 70%	Xn; R65 N; R51/53	
						R10-66-67	

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Hydrocarbons, C9, Aromatics			918-668-5		20 - 30%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; STOT SE 3: H335; STOT SE 3: H336; Aquatic Chronic 2: H411;	
WHITE SPIRIT		64742-88-7	265-191-7		60 - 70%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; STOT SE 3: H336; STOT RE 1: H372; Aquatic Chronic 2: H411;	

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Harmful by inhalation. Inhalation may cause nausea and vomiting. May cause dizziness and headache. Move the exposed person to fresh air. Seek medical attention.
Eye contact	May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.

Revision 0 Revision date 2017-09-21

1.1. Description of first aid meas	sures
Skin contact	May cause irritation to skin. May cause dermatitis. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	Harmful if swallowed. Ingestion may cause nausea and vomiting. Ingestion is irritating to the respiratory tract and may cause damage to the central nervous system. DO NOT INDUCE VOMITING. If swallowed, seek medical advice immediately and show this container or label.
SECTION 5: Firefighting me	asures
5.1. Extinguishing media	
	Use as appropriate: Carbon dioxide (CO2), Dry chemical, Foam.
5.2. Special hazards arising fron	n the substance or mixture
	Burning produces irritating, toxic and obnoxious fumes.
5.3. Advice for firefighters	
	Self-contained breathing apparatus. Wear protective clothing.
SECTION 6: Accidental relea	ase measures
6.1. Personal precautions, prote	ctive equipment and emergency procedures
	Ensure adequate ventilation of the working area. Wear suitable protective equipment.
6.2. Environmental precautions	
	Do not allow product to enter drains. Prevent further spillage if safe.
6.3. Methods and material for co	ontainment and cleaning up
	Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.
6.4. Reference to other sections	
	See section 8 for further information.
SECTION 7: Handling and s	torage
7.1. Precautions for safe handlir	ng
	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.
7.2. Conditions for safe storage,	including any incompatibilities
	Keep in a cool, dry, well ventilated area. Keep containers tightly closed.
7.3. Specific end use(s)	
	See section 1.2 for further information.
SECTION 8: Exposure contr	ols/personal protection
3.2. Exposure controls	
8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working area.
8.2.2. Individual protection measures	Wear chemical protective clothing.
Eye / face protection	Approved safety goggles.
Skin protection -	Chemical resistant gloves (PVC).
Handprotection	

9.1. Information on basic physical and chemical properties

Revision 0 Revision date 2017-09-21

9.1.	Information of	on basic physi	ical and chemica	I properties
------	----------------	----------------	------------------	--------------

Appearance

Colour Silver

Coloui

Odour Characteristic

Liquid

Flash point

int 40

Relative density 0.83 @ 15°C

Viscosity 2.83

SECTION 10: Stability and reactivity

10.1. Reactivity

No data is available on this product.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions will not occur under normal transport or storage conditions.

10.4. Conditions to avoid

No data is available on this product.

10.5. Incompatible materials

No data is available on this product.

10.6. Hazardous decomposition products

Do not breathe gas/fumes/vapour/spray

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Repeated or prolonged exposure

Irritating to respiratory system and skin.

11.1.4. Toxicological Information

No data available

SECTION 12: Ecological information

12.1. Toxicity

No data available

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

12.2. Persistence and degradability

Not readily biodegradable.

12.3. Bioaccumulative potential

Bioaccumulation.

Further information

Toxic to aquatic organisms

SECTION 13: Disposal considerations

General information

Dispose of in compliance with all local and national regulations.

Disposal methods

Contact a licensed waste disposal company.

Disposal of packaging

Revision 0 Revision date 2017-09-21

Disposal of packaging

Dispose of in compliance with all local and national regulations.

SECTION 14: Transport information

Hazard pictograms



14.1. UN number

UN1268

14.2. UN proper shipping name

PETROLEUM DISTILLATES. N.O.S.

14.3. Transport hazard class(es)

ADR/RID	3
Subsidiary risk	-
IMDG	3
Subsidiary risk	-
IATA	3
Subsidiary risk	-

14.4. Packing group

Packing group

14.5. Environmental hazards

Environmental hazards	No
Marine pollutant	No

ADR/RID

Hazard ID	30
Tunnel Category	(D/E)

IMDG

EmS Code	F-E S-E
----------	---------

IATA

Packing Instruction (Cargo)	366
Maximum quantity	220 L
Packing Instruction	355
(Passenger)	
Maximum quantity	60 I

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

SECTION 16: Other information



Revision 0 Revision date 2017-09-21

Other information

Text of risk phrases in Section	R10 - Flammable	
3	R37 - Irritating to respiratory system.	
	R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic	
	environment.	
	R65 - Harmful: may cause lung damage if swallowed.	
	R66 - Repeated exposure may cause skin dryness or cracking.	
	R67 - Vapours may cause drowsiness and dizziness.	
Text of Hazard Statements in	Flam. Liq. 3: H226 - Flammable liquid and vapour.	
Section 3	Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.	
	STOT SE 3: H335 - May cause respiratory irritation.	
	STOT SE 3: H336 - May cause drowsiness or dizziness.	
	Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.	
	STOT RE 1: H372 - Causes damage to organs through prolonged or repeated exposure .	
Further information		
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use,	
	storage and handling of the product. This information is correct to the best of our knowledge and	
	belief at the date of publication however no guarantee is made to its accuracy. This information	
	relates only to the specific material designated and may not be valid for such material used in	
	combination with any other materials or in any other process.	

